

Attorney's Docket No. 2000CH117

SAD  
#11/2 Patent

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE 11-2-01

In re U.S. patent of

Ernesto DONGIOVANNI, et al.

Serial No. ~~To Be Assigned~~ 09/843364

Filed: March 6, 2001

For: SYNERGISTIC STABILIZER COMPOSITIONS COMPRISING  
COPOLYMERS OF ETHYLENE WITH HINDERED AMINE MOIETIES  
CONTAINING ACRYLATE- OR METHACRYLATE COMONOMERS

JCS71 U.S. PTO  
09/843364  
04/25/01

TRANSMITTAL OF CERTIFIED COPY

Commissioner for Patents  
and Trademarks  
Washington, DC 20231

Dear Sir:

In accordance with 35 U.S.C. 119 and the International Convention, the priority and benefit of the filing date of the following foreign patent application mentioned in the transmittal cover of this application is hereby claimed:

Country:	Great Britain
Application No:	0009965.5
Filing Dates:	April 25, 2000

The certified copy of the above-mentioned patent application is attached.

Respectfully submitted,

  
Scott E. Hanf, Registration No. 38,906

**(CUSTOMER NUMBER 25,255)**

Clariant Corporation  
Industrial Property Department  
4331 Chesapeake Drive  
Charlotte, North Carolina 28216  
Telephone: 704/395-6712  
Facsimile: 704/395-6727

April 25, 2001





INVESTOR IN PEOPLE

The Patent Office  
Concept House  
Cardiff Road  
Newport  
South Wales  
NP10 8QQ

JC971 U.S. PTO

09/843364



I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed

*Andrew Gensy*

Dated

15 MAR 2001



Patc Form 1/77

1/77

Patents Act 1977  
(Rules 16)

**Request for grant of a patent**  
(See the notes on the back of this form. You can also get  
an explanatory leaflet from the Patent Office to help  
you fill in this form)

**The Patent Office**  
**A Patent Office**  
25 APR 2000

RECEIVED BY FAX

The Patent Office

Cardiff Road  
Newport  
Gwent NP9 1RH

1. Your reference **2000CH117**

2. Patent appl **0009965.5**  
(The Patent **25 APR 2000**)

3. Full name, address and postcode of the or of  
each applicant (underline all surnames)  
**CLARIANT INTERNATIONAL LTD**  
Rothausstrasse 61  
CH-4132 Muttrenz

Patents ADP number (if you know it) **06971634001**

If the applicant is a corporate body, give the  
country/state of its incorporation **Switzerland**

4. Title of the invention  
**SYNERGISTIC STABILIZER COMPOSITIONS  
COMPRISING COPOLYMERS OF ETHYLENE  
WITH HINDERED AMINE MOIETIES CONTAINING  
ACRYLATE- OR METHACRYLATE COMONOMERS**

5. Name of your agent (if you have one)  
**CLARIANT UK LTD.**  
Attn. Mr. Stephen Parkinson  
Calverley Lane  
Horsforth/Leeds, LS18 4RP

Patents ADP number (if you know it) **7156086001**

6. If you are declaring priority from one or more  
earlier patent applications, give the country  
and the date of filing of the or of each of these  
earlier applications and (if you know it) the or  
each application number

Country	Priority application number (if you know it)	Date of filing (day / month / year)
---------	---	--

7. If this application is divided or otherwise  
derived from a earlier UK application,  
give the number and the filing date of  
the earlier application

Number of earlier application	Date of filing (day / month / year)
-------------------------------	--

8. Is a statement of inventorship and of right  
to grant of a patent required in support of  
this request? (Answer "Yes" if:  
a) any applicant named in part 3 is not an inventor, or  
b) there is an inventor who is not named as an  
applicant, or  
c) any named applicant is a corporate body.  
See note (d) ) **Yes**

Patents Form 1/77

# Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form.

Do not count copies of the same document

Continuation sheets of this form

THE PATENT OFFICE	Description
A	Claim(s)
25 APR 2000	Abstract
RECEIVED BY FAX	Drawing(s)

29	✓
2	✓
1	✓ G.A.
-	

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)


Request for preliminary examination and search (Patents Form 9/77)

Request for substantive examination (Patents Form 10/77)

Any other documents (please specify)


11. I/We request the grant of a patent on the basis of this application.

Signature **Clariant International Ltd** Date April 25, 2000



Jan D'haemer

Head of Industrial Property Dept.



Ralph Leuenberger

Patent Administrator

12. Name and daytime telephone number of person to contact in the United Kingdom

## Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patent Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

## Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered "Yes" Patents Form 7/77 will need to be filed.
- Once you have filed in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.

PATENTS FORM 1/77

Case 2000CH117

**Synergistic stabilizer compositions comprising copolymers of ethylene with hindered amine moieties containing acrylate- or methacrylate comonomers**

- 5 The invention relates to synergistic stabilizer compositions comprising copolymers of ethylene with hindered amine moieties containing acrylate- or methacrylate comonomers and other light stabilizers for polymer articles.

10 The demand for increasingly versatile plastic materials has promoted their penetration in a variety of application areas where it is required to provide increasing durability of effective stabilization. Antioxidants have to retard or to prevent degrading reactions within the polymer matrix which involves many competing reactions. But decreasing polymer protection due to a loss or decomposition of stabilizers is often observed. Since the early beginnings of the use of antioxidants such as sterically hindered phenols and amines a move from low molecular weight products to higher molecular weight products can be observed. Reason for those changes was to develop stabilizers with higher leaching resistance and reduced tendency of diffusion out of the polymer matrix. In a subsequent step stabilizers have been prepared with varying degrees of success which can be covalently bound to the polymer chain. Nevertheless considerable improvements of the extraction resistance of such bound stabilizer moiety can be reached but the performance is often sacrificed.

20 Developments with modified focus were based and base on physical blends of stabilizers in order to take advantage of their homo- or heterosynergistic efficiency. This could be reached if a blend-composition of two stabilizers – for example two sterically hindered amine stabilizers (HAS) or HAS with UV-absorbers (UVA) - shows a higher contribution as compared to the individual components.

25 As polymer materials move into new application areas such as food packaging or even medical devices, numerous regulations were set up by the authorities governing these specific applications. Obviously polymer-bound stabilizers should be able to prevent undesired food contamination and to maintain a long service life, high transparency and exceptional resistance to chemical attack. Likewise in multilayer products migration of stabilizers from one layer to another can remove the stabilizer from most oxidation-sensitive domains of the polymer device.

30 An additional objective for polymer bound stabilizers are uncontrolled changes of polymer surface properties. In some cases this effect can be connected with the loss of cling, sealing

Case 2000CH117

2

or printability features which affects parameters such as peel strength and adhesion to the base material.

Technical requirements for plastic articles used in outdoor applications such as agricultural films and geotextiles are high. Those articles must resist weathering due to sunlight, humid conditions and chemicals. State of the art are Ni-quenchers and benzophenone-based UVA's, HAS and particularly higher molecular weight tertiary HAS systems which offer an efficient approach to UV-stabilization. Future market needs focus on longer lived and thinner articles e.g. films which requires even more powerful, migration-resistant stabilizers.


It has now been found that combinations of a random copolymer of ethylene and hindered amine moieties containing acrylates/methacrylates with light stabilizing components based on sterically hindered amines (HAS) and/or UV-absorbers (UVA) in a variety of different polymer substrates lead to a pronounced synergistic stabilization effect. Such effects have been found in all kinds of polyethylene and ethylene-based copolymers which are used in a broad variety of polymer geometry's (thin films, thick sections, fibers etc.).

Object of the instant invention are synergistic stabilizer compositions for thermoplastic polymers comprising

a) a random copolymer of ethylene (I) and hindered amine moieties containing acrylates/methacrylates (II)



(I)



(II)

and

b) at least one light stabilizing compound based on sterically hindered amines (HAS) and/or UV absorbers,

wherein




Case 2000CH117

3

R1 and R2 are each an independent hydrogen atom or a methyl group,  
R3 is a hydrogen atom, a C<sub>1</sub>-C<sub>4</sub>-alkyl or a C<sub>1</sub>-C<sub>8</sub>-alkoxy group,  
the ratio of component (II) to the sum of components (I) and (II) is less than 2 mol-%, and  
the weight ratio of component a) to component b) is from 100:1 to 3:1, preferably from 20:1  
to 5:1.

Preferably R1, R2 and R3 are hydrogen.

When the light stabilizing compound b) is propanedioic acid,[(4-methoxyphenyl)-methylene]-  
bis(1,2,2,6,6-pentamethyl-4-piperidinyl)ester (compound (III))



(III)

a high synergistic effect is observed.

The product out of components (I) and (II) (component a)) represents a random copolymer  
with a melt flow ratio ranging from 0.1 to 200 g/10 minutes (definition see EP-A-0 468 418).

The copolymer itself is known from EP-A-0 468 418, US 5,182,349 and US 5,262,233.

Synergistic systems consisting of the here claimed copolymers of ethylene and hindered  
amine containing moieties of acrylates/ methacrylates with other HAS-based stabilizers and /  
or UV-absorbers offer clear advantages with regard to sophisticated technical requirements  
(several years outdoor performance, maximum transparency, no loss of [visible] light  
transmission, high thermicity, minimum dust accumulation, chemical resistance, anti-fogging  
properties etc.).

Case 2000CH117

4

Particularly advantageous is the use of said synergistic compositions for those polymeric, mostly polyethylene-based, articles which are exposed to permanent extraction and aggressive and/or hazardous chemicals.

- 5 Significant technical parameters such as carbonyl formation or time to brittleness under accelerated conditions reflecting the lifetime of the corresponding polymer article under ambient conditions can be significantly improved against the state of the art by said compositions.
- 10 The magnitude of these effects is particularly surprising in the light of the literature. For example, HAS-systems linked to the matrix polymers result in much poorer weathering performance [J.L.Hahnfeld and D.D.Devore, Polym. Degrad. Stab., 39, 241 (1993)]. This drawback is not obvious since the HAS moiety is still active but just fixed by a covalent bond to the polymer chain.

- 15 Even more surprising is the high specific efficiency of the used HAS-grafted copolymers of type I/II despite its relatively low concentration of active HAS-functionality (about 5 wg-%) compared to conventional, oligomeric HAS-compounds such as compound (B) or compound (D) (see examples).

- 20 A further object of the instant invention therefore is a method of use of said stabilizer compositions for the stabilization of thermoplastic polymers, especially polyolefins, in concentrations of 0.5 % to 20 %, preferably 1.0 % to 10 % by weight, based on the polymer.

- 25 Another object of the instant invention is a process of stabilizing thermoplastic polymers, especially polyolefins, by incorporating 0.5 % to 20%, preferably 1.0 % to 10 % by weight, based on the polymer, of said stabilizer compositions.

- 30 Suitable thermoplastic polymers to be stabilized according to the instant invention are for example the following ones:

1. Polymers of monoolefins and diolefins, for example polypropylene, polyisobutylene, polybut-1-ene, poly-4-methylpent-1-ene, polyisoprene or polybutadiene, as well as  
35 polymers of cycloolefins, for example of cyclopentene or norbornene; furthermore polyethylene (which optionally can be crosslinked); for example, high density polyethylene (PE-HD), polyethylene of high density and high molar mass (PE-HD

Case 2000CH117

5

HMW), polyethylene of high density and ultrahigh molar mass (PE-HD UHMW), medium density polyethylene (PE-MD), low density polyethylene (PE-LD), linear low density polyethylene (PE-LLD), branched low density polyethylene (PE-BLD).

5 Polyolefins, i.e. polymers of monoolefins exemplified in the preceding paragraph, in particular polyethylene and polypropylene, can be prepared by various, and especially by the following, methods:

10 a) free-radical polymerization (normally under high pressure and at elevated temperature)

15 b) catalytic polymerization using a catalyst that normally contains one or more metals of group IVb, Vb, VIb or VIII of the Periodic Table. These metals usually have one or more ligands, such as oxides, halides, alcoholates, esters, ethers, amines, alkyls, alkenyls and/or aryls that may be either  $\pi$ - or  $\sigma$ -coordinated. These metal complexes may be in the free form or fixed on substrates, for example on activated magnesium chloride, titanium(III) chloride, alumina or silicon oxide. These catalysts may be soluble or insoluble in the polymerization medium. The catalysts can be active as such in the polymerization or further activators may be used, for example metal alkyls, metal hydrides, metal alkyl halides, metal alkyl oxides or metal alkyloxanes, the metals being elements of groups Ia, IIa and/or IIIa of the Periodic Table. The activators may be modified, for example, with further ester, ether, amine or silyl ether groups. These catalyst systems are usually termed Phillips, Standard Oil Indiana, Ziegler (-Natta), TNZ (DuPont), metallocene or single site catalysts (SSC).

20 2. Mixtures of the polymers mentioned under 1), for example mixtures of polypropylene with polyisobutylene, polyethylene with polyisobutylene, polypropylene with polyethylene (for example PP/PE-HD/PE-LD) and mixtures of different types of polyethylene (for example PE-LD/PE-HD) with one another.

35 3. Copolymers of monoolefins and diolefins with each other or with other vinyl monomers, for example ethylene-propylene copolymers, linear low density polyethylene (PE-LLD) and mixtures thereof with low density polyethylene (PE-LD), propylene-but-1-ene copolymers, propylene-isobutylene copolymers, ethylene-but-1-ene copolymers, ethylene-hexene copolymers, ethylene-methylpentene copolymers, ethylene-heptene copolymers, ethylene-octene copolymers, propylene-butadiene copolymers,

Case 2000CH117

6

isobutylene-isoprene copolymers, ethylene-alkyl acrylate copolymers, ethylene-alkyl methacrylate copolymers, ethylene-vinyl acetate copolymers and their copolymers with carbon monoxide or ethylene-acrylic acid copolymers and their salts (ionomers) as well as terpolymers of ethylene with propylene and a diene such as hexadiene,  
5 dicyclopentadiene or ethylidene-norbornene; and mixtures of such copolymers with one another and with polymers mentioned under 1), for example polypropylene-ethylene-propylene copolymers, PE-LD-ethylene-vinyl acetate copolymers, PE-LD-ethylene-acrylic acid copolymers, PE-LLD-ethylene-vinyl acetate copolymers, PE-LLD-ethylene-acrylic acid copolymers and alternating or random polyalkylene-carbon monoxide  
10 copolymers and mixtures thereof with other polymers, for example polyamides.

4. Hydrocarbon resins (for example  $C_6-C_9$ ) including hydrogenated modifications thereof (e.g. tackifier resins) and mixtures of polyalkylenes and starch.

15 5. Polystyrene, poly(p-methylstyrene), poly( $\alpha$ -methylstyrene).

6. Copolymers of styrene or  $\alpha$ -methylstyrene with dienes or acrylic derivatives, for example styrene-butadiene, styrene-acrylonitrile, styrene-alkyl methacrylate, styrene-butadiene-alkyl acrylate, styrene-butadiene-alkyl methacrylate, styrene-maleic  
20 anhydride, styrene-acrylonitrile-methacrylate; mixtures of high impact strength of styrene copolymers and another polymer, for example a polyacrylate, a diene polymer or an ethylene-propylene-diene terpolymer; and block copolymers of styrene, such as styrene-butadiene-styrene, styrene-isoprene-styrene, styrene-ethylene/butylene-styrene or styrene-ethylene/propylene-styrene.

25 7. Graft copolymers of styrene or  $\alpha$ -methylstyrene, for example styrene on polybutadiene, styrene on polybutadiene-styrene or polybutadiene-acrylonitrile copolymers, styrene and acrylonitrile (or methacrylonitrile) on polybutadiene; styrene, acrylonitrile and methyl methacrylate on polybutadiene; styrene and maleic anhydride on polybutadiene;  
30 styrene, acrylonitrile and maleic anhydride or maleimide on polybutadiene; styrene and maleimide on polybutadiene; styrene and alkyl acrylates or alkyl methacrylates on polybutadiene, styrene and acrylonitrile on ethylene-propylene-diene terpolymers, styrene and acrylonitrile on polyalkyl acrylates or polyalkyl methacrylates, styrene and acrylonitrile on acrylate-butadiene copolymers, as well as mixtures thereof with the  
35 copolymers mentioned under 6), for example the copolymer mixtures known as ABS, MBS, ASA or AES polymers.

Case 2000CH117

7

8. Halogen-containing polymers, such as polychloroprene, chlorinated rubber, chlorinated and brominated copolymer of isobutylene-isoprene (halobutyl rubber), chlorinated or sulfochlorinated polyethylene, copolymers of ethylene and chlorinated ethylene, epichlorohydrin homo- and copolymers, especially polymers of halogen-containing vinyl compounds, for example polyvinyl chloride, polyvinylidene chloride, polyvinyl fluoride, polyvinylidene fluoride; as well as copolymers thereof such as vinyl chloride-vinylidene chloride, vinyl chloride-vinyl acetate or vinylidene chloride-vinyl acetate.
9. Polymers derived from  $\alpha,\beta$ -unsaturated acids and derivatives thereof, such as polyacrylates and polymethacrylates, polyacrylonitriles, polyacrylamides and polymethyl methacrylates impact-modified with butyl acrylate.
10. Copolymers of the monomers mentioned under 9) with each other or with other unsaturated monomers, for example acrylonitrile-butadiene copolymers, acrylonitrile-alkyl acrylate copolymers, acrylonitrile-alkoxyalkyl acrylate copolymers, acrylonitrile-vinyl halide copolymers or acrylonitrile-alkyl methacrylate-butadiene terpolymers.
11. Polymers derived from unsaturated alcohols and amines or the acyl derivatives or acetals thereof, such as polyvinyl alcohol, polyvinyl acetate, polyvinyl stearate, polyvinyl benzoate, polyvinyl maleate, polyvinyl butyral, polyallyl phthalate or polyallyl melamine; as well as their copolymers with olefins mentioned in section 1.
12. Homopolymers and copolymers of cyclic ethers, such as polyalkylene glycols, polyethylene oxide, polypropylene oxide or copolymers thereof with bisglycidyl ethers.
13. Polyacetals such as polyoxymethylene and those polyoxymethylenes which contain comonomers, for example ethylene oxide; polyacetals modified with thermoplastic polyurethanes, acrylates or MBS.
14. Polyphenylene oxides and sulfides, and mixtures thereof with styrene polymers or polyamides.
15. Polyurethanes derived from hydroxyl-terminated polyethers, polyesters and polybutadienes on the one hand and aliphatic or aromatic polyisocyanates on the other, as well as precursors thereof.

Case 2000CH117

8

16. Polyamides and copolyamides derived from diamines and dicarboxylic acids and/or from aminocarboxylic acids or the corresponding lactams, such as polyamide 4, 6, 6/6, 6/10, 6/9, 6/12, 4/6, 12/12, 11 and 12, aromatic polyamides starting from m-xylene, diamine and adipic acid; polyamides prepared from hexamethylenediamine and isophthalic and/or terephthalic acid and with or without an elastomer as modifier, for example poly-2,4,4-trimethylhexamethylene terephthalamide or poly-m-phenylene isophthalamide. Block copolymers of the aforementioned polyamides with polyolefins, olefin copolymers, ionomers or chemically bonded or grafted elastomers; or with polyethers, e.g. with polyethylene glycol, polypropylene glycol or polytetramethylene glycol. As well as polyamides or copolyamides modified with EPDM or ABS; and polyamides condensed during processing (RIM polyamide systems).
17. Polyureas, polyimides, polyamide-imides, polyether imides, polyester amides, polyhydantoins and polybenzimidazoles.
18. Polyesters derived from dicarboxylic acids and dialcohols and/or from hydroxycarboxylic acids or the corresponding lactones, such as polyethylene terephthalate, polybutylene terephthalate, poly-1,4-dimethylolcyclohexane terephthalate, polyhydroxybenzoates, as well as block polyether-esters derived from hydroxyl-terminated polyethers; and also polyesters modified with polycarbonates or MBS.
19. Polycarbonates and polyester carbonates.
20. Polysulfones, polyether sulfones and polyether ketones.
21. Crosslinked polymers derived from aldehydes on the one hand and phenols, urea or melamine on the other hand, such as phenol/formaldehyde resins, urea/formaldehyde resins and melamine/formaldehyde resins.
22. Drying and non-drying alkyd resins.
23. Unsaturated polyester resins derived from copolyesters of saturated and unsaturated dicarboxylic acids with polyhydric alcohols and vinyl compounds as crosslinking agents, and also halogen-containing modifications thereof of low flammability.

Case 2000CH117

9

24. Crosslinkable acrylic resins derived from substituted acrylates, for example from epoxy acrylates, urethane acrylates or polyester acrylates.
25. Alkyd resins, polyester resins and acrylic resins crosslinked with melamine resins, urea resins, isocyanates, isocyanurates, polyisocyanates or epoxy resins.
26. Crosslinked epoxy resins derived from aliphatic, cycloaliphatic, heterocyclic or aromatic glycidyl compounds, examples being products of bisphenol-A-diglycidyl ethers, bisphenol-F-diglycidyl ethers, which are crosslinked by means of customary hardeners, such as anhydrides or amines, for example, with or without accelerators.
27. Natural polymers such as cellulose, natural rubber, gelatin and derivatives thereof which have been chemically modified in a polymer-homologous manner, for example cellulose acetates, cellulose propionates and cellulose butyrates, or the cellulose ethers such as methyl cellulose; as well as rosins and derivatives.
28. Mixtures (polyblends) of the aforementioned polymers, for example PP/EPDM, polyamide/EPDM or ABS, PVC/EVA, PVC/ABS, PVC/MBS, PC/ABS, PBTP/ABS, PC/ASA, PC/PBT, PVC/CPE, PVC/acrylates, POM/thermoplastic PUR, PC/thermoplastic PUR, POM/acrylate, POM/MBS, PPO/MBS, PPO/HIPS, PPO/PA 6.6 and copolymers, PA/PE-HD, PA/PP, PA/PPO, PBT/ABS or PBT/PET/PC.
29. Natural and synthetic organic substances which constitute pure monomeric compounds or mixtures thereof, examples being mineral oils, animal or vegetable fats, oils and waxes, or oils, waxes and fats based on synthetic esters (e.g. phthalates, adipates, phosphates or trimellitates), and also blends of synthetic esters with mineral oils in any desired proportion by weight, as are employed, for example, as spin finishes, and aqueous emulsions thereof.
30. Aqueous emulsions of natural or synthetic rubbers, such as natural rubber latex or latices of carboxylated styrene-butadiene copolymers.

The stabilizer compositions of the instant invention or the thermoplastic polymers to be stabilized may if desired also comprise further additives, examples being antioxidants, light stabilizers, metal deactivators, antistatic agents, flame retardants, lubricants, nucleating agents, acid scavengers (basic costabilizers), pigments and fillers. Examples of suitable

Case 2000CH117

10

additives which can additionally be employed in combination are compounds as set out below:

1. Antioxidants

5

1.1. Alkylated monophenols, for example 2,6-di-tert-butyl-4-methylphenol, 2-butyl-4,6-dimethylphenol, 2,6-di-tert-butyl-4-ethylphenol, 2,6-di-tert-butyl-4-n-butylphenol, 2,6-di-tert-butyl-4-isobutylphenol, 2,6-dicyclopentyl-4-methylphenol, 2-( $\alpha$ -methylcyclohexyl)-4,6-dimethylphenol, 2,6-dioctadecyl-4-methylphenol, 2,4,6-tricyclohexylphenol, 2,6-di-tert-butyl-4-methoxymethylphenol, linear or sidechain-branched nonylphenols, such as 2,6-di-nonyl-4-methylphenol, 2,4-dimethyl-6-(1-methylundec-1'-yl)-phenol, 2,4-dimethyl-6-(1'-methylheptadec-1'-yl)-phenol, 2,4-dimethyl-6-(1'-methyltridec-1'-yl)phenol and mixtures thereof.

10

1.2. Alkylthiomethylphenols, for example 2,4-dioctylthiomethyl-6-tert-butylphenol, 2,4-dioctylthiomethyl-6-methylphenol, 2,4-dioctylthiomethyl-6-ethylphenol, 2,6-didodecylthiomethyl-4-nonylphenol.

15

20

1.3. Hydroquinones and alkylated hydroquinones, for example 2,6-di-tert-butyl-4-methoxyphenol, 2,5-di-tert-butylhydroquinone, 2,5-di-tert-amylhydroquinone, 2,6-diphenyl-4-octadecyloxyphenol, 2,6-di-tert-butylhydroquinone, 2,5-di-tert-butyl-4-hydroxyanisole, 3,5-di-tert-butyl-4-hydroxyanisole, 3,5-di-tert-butyl-4-hydroxyphenyl stearate, bis(3,5-di-tert-butyl-4-hydroxyphenyl) adipate.

25

1.4. Hydroxylated thiodiphenyl ethers, for example 2,2'-thiobis(6-tert-butyl-4-methylphenol), 2,2'-thiobis(4-octylphenol), 4,4'-thiobis(6-tert-butyl-3-methylphenol), 4,4'-thiobis(6-tert-butyl-2-methylphenol), 4,4'-thiobis(3,6-di-sec-amylphenol), 4,4'-bis(2,6-dimethyl-4-hydroxyphenyl) disulfide.

30

1.5 Alkylidenebisphenols, for example 2,2'-methylenebis(6-tert-butyl-4-methylphenol), 2,2'-methylenebis(6-tert-butyl-4-ethylphenol), 2,2'-methylenebis[4-methyl-6-( $\alpha$ -methylcyclohexyl)phenol], 2,2'-methylenebis(4-methyl-6-cyclohexylphenol), 2,2'-methylenebis(6-nonyl-4-methylphenol), 2,2'-methylenebis(4,6-di-tert-butylphenol), 2,2'-ethylidenebis(4,6-di-tert-butylphenol), 2,2'-ethylidenebis(6-tert-butyl-4-isobutylphenol), 2,2'-methylenebis[6-( $\alpha$ -methylbenzyl)-4-nonylphenol], 2,2'-methylenebis[6-( $\alpha$ , $\alpha$ -dimethylbenzyl)-4-nonylphenol], 4,4'-methylenebis(2,6-di-tert-butylphenol), 4,4'-methylenebis(6-tert-butyl-2-methylphenol), 1,1-bis(5-tert-butyl-4-hydroxy-2-

35



Case 2000CH117

11

methylphenyl)butane, 2,6-bis(3-tert-butyl-5-methyl-2-hydroxybenzyl)-4-methylphenol,  
1,1,3-tris(5-tert-butyl-4-hydroxy-2-methylphenyl)butane, 1,1-bis(5-tert-butyl-4-hydroxy-  
2-methylphenyl)-3-n-dodecylmercaptobutane, bis(3-tert-butyl-4-hydroxy-5-  
methylphenyl)-dicyclopentadiene, bis[2-(3'-tert-butyl-2'-hydroxy-5'-methylbenzyl)-6-tert-  
butyl-4-methylphenyl] terephthalate, 1,1-bis(3,5-dimethyl-2-hydroxyphenyl)butane, 2,2-  
bis(3,5-di-tert-butyl-4-hydroxyphenyl)propane, 2,2-bis(5-tert-butyl-4-hydroxy-2-  
methylphenyl)-4-n-dodecylmercaptobutane, 1,1,5,5-tetra-(5-tert-butyl-4-hydroxy-2-  
methylphenyl)pentane, ethylene glycol bis[3,3-bis(3'-tert-butyl-4'-  
hydroxyphenyl)butyrate].

1.6. O-, N- and S-benzyl compounds, for example 3,5,3',5'-tetra-tert-butyl-4,4'-  
dihydroxydibenzyl ether, octadecyl 4-hydroxy-3,5-dimethylbenzylmercaptoacetate,  
tris(3,5-di-tert-butyl-4-hydroxybenzyl)amine, bis(4-tert-butyl-3-hydroxy-2,6-  
dimethylbenzyl) dithioterephthalate, bis(3,5-di-tert-butyl-4-hydroxybenzyl) sulfide,  
isooctyl 3,5-di-tert-butyl-4-hydroxybenzylmercaptoacetate, tridecyl 4-hydroxy-3,5-di-  
tert-butylbenzylmercaptoacetate.

1.7. Hydroxybenzylated malonates, for example dioctadecyl 2,2-bis(3,5-di-tert-butyl-2-  
hydroxybenzyl)malonate, dioctadecyl 2-(3-tert-butyl-4-hydroxy-5-  
methylbenzyl)malonate, didodecyl mercaptoethyl-2,2-bis(3,5-di-tert-butyl-4-  
hydroxybenzyl)malonate, di-[4-(1,1,3,3-tetramethylbutyl)phenyl] 2,2-bis(3,5-di-tert-  
butyl-4-hydroxybenzyl)malonate.

1.8. Benzylphosphonates, for example dimethyl 2,5-di-tert-butyl-4-  
hydroxybenzylphosphonate, diethyl 3,5-di-tert-butyl-4-hydroxybenzylphosphonate,  
dioctadecyl 3,5-di-tert-butyl-4-hydroxybenzylphosphonate, dioctadecyl 5-tert-butyl-4-  
hydroxy-3-methylbenzylphosphonate, the Ca salt of the monoethyl ester of 3,5-di-tert-  
butyl-4-hydroxybenzylphosphonic acid.

1.9. Acylaminophenols, for example 4-hydroxylauranilide, 4-hydroxystearanilide, octyl N-  
(3,5-di-tert-butyl-4-hydroxyphenyl)carbamate.

1.10. Esters of  $\beta$ -(3,5-di-tert-butyl-4-hydroxyphenyl)propionic acid with mono- or polyhydric  
alcohols, e.g. with methanol, ethanol, n-octanol, isooctanol, octadecanol, 1,6-  
hexanediol, 1,9-nonanediol, ethylene glycol, 1,2-propanediol, neopentyl glycol,  
thiodiethylene glycol, diethylene glycol, triethylene glycol, pentaerythritol,  
tris(hydroxyethyl) isocyanurate, N,N'-bis(hydroxyethyl)oxalamide, 3-thiaundecanol, 3-

Case 2000CH117

12

thiapentadecanol, trimethylhexanediol, trimethylolpropane, 4-hydroxymethyl-1-phospha-2,6,7-trioxabicyclo[2.2.2]octane.

5 1.11. Esters of  $\beta$ -(5-tert-butyl-4-hydroxy-3-methylphenyl)propionic acid with mono- or polyhydric alcohols, e.g. with methanol, ethanol, n-octanol, isooctanol, octadecanol, 1,6-hexanediol, 1,9-nonanediol, ethylene glycol, 1,2-propanediol, neopentyl glycol, thiodiethylene glycol, diethylene glycol, triethylene glycol, pentaerythritol, tris(hydroxyethyl) isocyanurate, N,N'-bis(hydroxyethyl)oxalamide, 3-thiaundecanol, 3-thiapentadecanol, trimethylhexanediol, trimethylolpropane, 4-hydroxymethyl-1-phospha-2,6,7-trioxabicyclo[2.2.2]octane.

15 1.12. Esters of  $\beta$ -(3,5-dicyclohexyl-4-hydroxyphenyl)propionic acid with mono- or polyhydric alcohols, e.g. with methanol, ethanol, n-octanol, isooctanol, octadecanol, 1,6-hexanediol, 1,9-nonanediol, ethylene glycol, 1,2-propanediol, neopentyl glycol, thiodiethylene glycol, diethylene glycol, triethylene glycol, pentaerythritol, tris(hydroxyethyl) isocyanurate, N,N'-bis(hydroxyethyl)oxalamide, 3-thiaundecanol, 3-thiapentadecanol, trimethylhexanediol, trimethylolpropane, 4-hydroxymethyl-1-phospha-2,6,7-trioxabicyclo[2.2.2]octane.

20 1.13. Esters of 3,5-di-tert-butyl-4-hydroxyphenylacetic acid with mono- or polyhydric alcohols, e.g. with methanol, ethanol, n-octanol, isooctanol, octadecanol, 1,6-hexanediol, 1,9-nonanediol, ethylene glycol, 1,2-propanediol, neopentyl glycol, thiodiethylene glycol, diethylene glycol, triethylene glycol, pentaerythritol, tris(hydroxyethyl) isocyanurate, N,N'-bis(hydroxyethyl)oxalamide, 3-thiaundecanol, 3-thiapentadecanol, trimethylhexanediol, trimethylolpropane, 4-hydroxymethyl-1-phospha-2,6,7-trioxabicyclo[2.2.2]octane.

30 1.14. Esters of 3,3-bis(3'-tert-butyl-4'-hydroxyphenyl)butyric acid with mono- or polyhydric alcohols, e.g. with methanol, ethanol, n-octanol, isooctanol, octadecanol, 1,6-hexanediol, 1,9-nonanediol, 1,2-propanediol, neopentyl glycol, thiodiethylene glycol, diethylene glycol, triethylene glycol, pentaerythritol, tris(hydroxyethyl) isocyanurate, N,N'-bis(hydroxyethyl)oxalamide, 3-thiaundecanol, 3-thiapentadecanol, trimethylhexanediol, trimethylolpropane, 4-hydroxymethyl-1-phospha-2,6,7-trioxabicyclo[2.2.2]octane.

35 1.15. Amides of  $\beta$ -(3,5-di-tert-butyl-4-hydroxyphenyl)propionic acid, e.g. N,N'-bis(3,5-di-tert-butyl-4-hydroxyphenylpropionyl)hexamethylenediamine, N,N'-bis(3,5-di-tert-butyl-4-

Case 2000CH117

13

hydroxyphenylpropionyl)trimethylenediamine, N,N'-bis(3,5-di-tert-butyl-4-hydroxyphenylpropionyl)hydrazine.

1.16. Tocopherol, such as  $\alpha$ -tocopherol,  $\beta$ -tocopherol,  $\gamma$ -tocopherol,  $\delta$ -tocopherol and mixtures thereof (vitamin E).

1.16. Ascorbic acid (vitamin C).

1.18. Amine antioxidants, for example N,N'-diisopropyl-p-phenylenediamine, N,N'-di-sec-butyl-p-phenylenediamine, N,N'-bis(1,4-dimethylpentyl)-p-phenylenediamine, N,N'-bis(1-ethyl-3-methylpentyl)-p-phenylenediamine, N,N'-bis(1-methylheptyl)-p-phenylenediamine, N,N'-dicyclohexyl-p-phenylenediamine, N,N'-diphenyl-p-phenylenediamine, N,N'-di(naphthyl-2-)-p-phenylenediamine, N-isopropyl-N'-phenyl-p-phenylenediamine, N-(1,3-dimethylbutyl)-N'-phenyl-p-phenylenediamine, N-(1-methylheptyl)-N'-phenyl-p-phenylenediamine, N-cyclohexyl-N'-phenyl-p-phenylenediamine, 4-(-toluenesulfonamido)diphenylamine, N,N'-dimethyl-N,N'-di-sec-butyl-p-phenylenediamine, diphenylamine, N-allyldiphenylamine, 4-isopropoxydiphenylamine, N-phenyl-1-naphthylamine, N-(4-tert-octylphenyl)-1-naphthylamine, N-phenyl-2-naphthylamine, octylated diphenylamine, e.g. p,p'-di-tert-octyldiphenylamine, 4-n-butylaminophenol, 4-butyrylaminophenol, 4-nonanoylaminophenol, 4-dodecanoylaminophenol, 4-octadecanoylaminophenol, di(4-methoxyphenyl)amine, 2,6-di-tert-butyl-4-dimethylaminomethylphenol, 2,4'-diaminodiphenylmethane, 4,4'-diaminodiphenylmethane, N,N,N',N'-tetramethyl-4,4'-diaminodiphenylmethane, 1,2-di-[(2-methylphenyl)amino]ethane, 1,2-di-(phenylamino)propane, (o-tolyl)biguanide, di[4-(1',3'-dimethylbutyl)-phenyl]amine, tert-octylated N-phenyl-1-naphthylamine, mixture of mono- and dialkylated tert-butyl/tert-octyldiphenylamines, mixture of mono- and dialkylated nonyldiphenylamines, mixture of mono- and dialkylated dodecyldiphenylamines, mixture of mono- and dialkylated isopropyl/isoheptyl-diphenylamines, mixture of mono- and dialkylated tert-butyl-diphenylamines, 2,3-dihydro-3,3-dimethyl-4H-1,4-benzothiazine, phenothiazine, mixture of mono- and dialkylated tert-butyl/tert-octyl-phenothiazines, mixture of mono- and dialkylated tert-octylphenothiazines, N-allylphenothiazine, N,N,N',N'-tetraphenyl-1,4-diaminobut-2-ene, N,N-bis(2,2,6,6-tetramethylpiperidin-4-yl)hexamethylenediamine, bis(2,2,6,6-tetramethylpiperidin-4-yl) sebacate, 2,2,6,6-tetramethylpiperidin-4-one, 2,2,6,6-tetramethylpiperidin-4-ol.

Case 2000CH117

14

## 2. UV absorbers and light stabilizers

### 2.1 2-(2'-Hydroxyphenyl)benzotriazoles, for example 2-(2'-hydroxy-5'-

5 methylphenyl)benzotriazole, 2-(3',5'-di-tert-butyl-2'-hydroxyphenyl)benzotriazole, 2-(5'-tert-butyl-2'-hydroxyphenyl)benzotriazole, 2-[2'-hydroxy-5'-(1,1,3,3-

tetramethylbutyl)phenyl]benzotriazole, 2-(3',5'-di-tert-butyl-2'-hydroxyphenyl)-5-

chlorobenzotriazole, 2-(3'-tert-butyl-2'-hydroxy-5'-methylphenyl)-5-chlorobenzotriazole,

2-(3'-sec-butyl-5'-tert-butyl-2'-hydroxyphenyl)benzotriazole, 2-(2'-hydroxy-4'-

10 octoxyphenyl)benzotriazole, 2-(3',5'-di-tert-amyl-2'-hydroxyphenyl)benzotriazole, 2-

(3',5'-bis( $\alpha,\alpha$ -dimethylbenzyl)-2'-hydroxyphenyl)benzotriazole, a mixture of 2-(3'-tert-

butyl-2'-hydroxy-5'-(2-octyloxycarbonylethyl)phenyl)-5-chlorobenzotriazole, 2-(3'-tert-

butyl-5'-[2-(2-ethylhexyloxy)carbonylethyl]-2'-hydroxyphenyl)-5-chlorobenzotriazole, 2-

(3'-tert-butyl-2'-hydroxy-5'-(2-methoxycarbonylethyl)phenyl)-5-chlorobenzotriazole, 2-

15 (3'-tert-butyl-2'-hydroxy-5'-(2-methoxycarbonylethyl)phenyl)benzotriazole, 2-(3'-tert-

butyl-2'-hydroxy-5'-(2-octyloxycarbonylethyl)phenyl)benzotriazole, 2-(3'-tert-butyl-5'-[2-

(2-ethylhexyloxy)carbonylethyl]-2'-hydroxyphenyl)benzotriazole, 2-(3'-dodecyl-2'-

hydroxy-5'-methylphenyl)benzotriazole, and 2-(3'-tert-butyl-2'-hydroxy-5'-(2-

isooctyloxycarbonylethyl)phenyl)benzotriazole, 2,2'-methylenebis[4-(1,1,3,3-

20 tetramethylbutyl)-6-benzotriazol-2-ylphenol]; the transesterification product of 2-[3'-tert-

butyl-5'-(2-methoxycarbonylethyl)-2'-hydroxyphenyl]benzotriazole with polyethylene

glycol 300;  $[R-CH_2CH_2-COO(CH_2)_3]_2$  where R = 3'-tert-butyl-4'-hydroxy-5'-2H-

benzotriazol-2-ylphenyl.

25 2.2 2-Hydroxybenzophenones, for example the 4-hydroxy, 4-methoxy, 4-octoxy, 4-decyloxy, 4-dodecyloxy, 4-benzyloxy, 4,2',4'-trihydroxy and 2'-hydroxy-4,4'-dimethoxy derivative.

2.3 Esters of substituted or unsubstituted benzoic acids, for example 4-tert-butyl-phenyl  
30 salicylate, phenyl salicylate, octylphenyl salicylate, dibenzoylresorcinol, bis(4-tert-butylbenzoyl)resorcinol, benzoylresorcinol, 2,4-di-tert-butylphenyl 3,5-di-tert-butyl-4-hydroxybenzoate, hexadecyl 3,5-di-tert-butyl-4-hydroxybenzoate, octadecyl 3,5-di-tert-butyl-4-hydroxybenzoate, 2-methyl-4,6-di-tert-butylphenyl 3,5-di-tert-butyl-4-hydroxybenzoate.

35 2.4 Acrylates, for example ethyl  $\alpha$ -cyano- $\beta,\beta$ -diphenylacrylate or isooctyl  $\alpha$ -cyano- $\beta,\beta$ -diphenylacrylate, methyl  $\alpha$ -carbomethoxycinnamate, methyl  $\alpha$ -cyano- $\beta$ -methyl-p-

Case 2000CH117

15

methoxycinnamat or butyl  $\alpha$ -cyano- $\beta$ -methyl-p-methoxycinnamate, methyl  $\alpha$ -carbomethoxy-p-methoxycinnamate and N-( $\beta$ -carbomethoxy- $\beta$ -cyanovinyl)-2-methylind line.

- 5 2.5 Nickel compounds, for example nickel complexes of 2,2'-thio-bis-[4-(1,1,3,3-tetramethylbutyl)phenol], such as the 1:1 or 1:2 complex, with or without additional ligands such as n-butylamine, triethanolamine or N-cyclohexyldiethanolamine, nickel dibutylidithiocarbamate, nickel salts of monoalkyl esters, such as of the methyl or ethyl ester, of 4-hydroxy-3,5-di-tert-butylbenzylphosphonic acid, nickel complexes of  
10 ketoximes, e.g. of 2-hydroxy-4-methylphenyl undecyl ketoxime, nickel complexes of 1-phenyl-4-lauroyl-5-hydroxypyrazole, with or without additional ligands.
- 2.6 Sterically hindered amines, for example bis(2,2,6,6-tetramethylpiperidin-4-yl) sebacate, bis(2,2,6,6-tetramethylpiperidin-4-yl) glutarate, bis(2,2,6,6-tetramethylpiperidin-4-yl)  
15 succinate, bis(1,2,2,6,6-pentamethylpiperidin-4-yl) sebacate, bis(1,2,2,6,6-pentamethylpiperidin-4-yl) glutarate, 2,2,6,6-tetramethylpiperidyl behenate, 1,2,2,6,6-pentamethylpiperidyl behenate, the condensate of 1-hydroxyethyl-2,2,6,6-tetramethyl-4-hydroxypiperidine and succinic acid, the condensate of N,N'-bis-(2,2,6,6-tetramethyl-4-piperidyl)hexamethylenediamine and 4-tert-octylamino-2,6-dichloro-1,3,5-s-triazine,  
20 tris-(2,2,6,6-tetramethyl-4-piperidyl) nitrilotriacetate, tetrakis(2,2,6,6-tetramethyl-4-piperidyl) 1,2,3,4-butanetraoate, 1,1'-(1,2-ethanediy)-bis-(3,3,5,5-tetramethylpiperazinone), 4-benzoyl-2,2,6,6-tetramethylpiperidine, 4-stearyloxy-2,2,6,6-tetramethylpiperidine, 4-stearyloxy-2,2,6,6-tetramethylpiperidine, 4-stearyloxy-1,2,2,6,6-pentamethylpiperidine, 4-stearyloxy-1,2,2,6,6-pentamethylpiperidine,  
25 bis(1,2,2,6,6-pentamethylpiperidyl) 2-n-butyl-2-(2-hydroxy-3,5-di-tert-butylbenzyl)malonate, bis(1,2,2,6,6-pentamethylpiperidyl) 2-n-butyl-2-(4-hydroxy-3,5-di-tert-butylbenzyl)malonate, 3-n-octyl-7,7,9,9-tetramethyl-1,3,8-triazaspiro[4.5] decane-2,4-dione, bis(1-octyloxy-2,2,6,6-tetramethylpiperidyl) sebacate, bis-(1-octyloxy-2,2,6,6-tetramethylpiperidyl) succinate, the condensate of N,N'-bis(2,2,6,6-tetramethyl-4-piperidyl)hexamethylenediamine and 4-morpholino-2,6-dichloro-1,3,5-triazine, the condensate of N,N'-bis(2,2,6,6-tetramethyl-4-piperidyl)hexamethylenediamine and 4-cyclohexylamino-2,6-dichloro-1,3,5-triazine, the condensate of 2-chloro-4,6-di-(4-n-butylamino-2,2,6,6-tetramethylpiperidyl)-1,3,5-triazine and 1,2-bis-(3-aminopropylamino)ethane, the condensate of 2-chloro-4,6-di-(4-methoxypropylamino-2,2,6,6-tetramethylpiperidyl)-1,3,5-triazine and 1,2-bis-(3-aminopropylamino)ethane,  
30 the condensate of 2-chloro-4,6-di-(4-methoxypropylamino-1,2,2,6,6-pentamethylpiperidyl)-1,3,5-triazine and 1,2-bis-(3-aminopropylamino)ethane, the

Case 2000CH117

16

condensate of 2-chloro-4,6-di-(4-n-butylamino-1,2,2,6,6-pentamethylpiperidyl)-1,3,5-triazine and 1,2-bis-(3-aminopropylamino)-ethane, reaction products of 2-chloro-4,6-di-(4-n-butylamino-2,2,6,6-tetramethylpiperidyl)-1,3,5-triazine with mono- or polyfunctional amines, where between one and all the active hydrogen atoms on the amine are replaced, such as with ethylenediamine, diethylenetriamine, triethylenetetramine, hexamethylenediamine, 1,2-bis-(3-aminopropylamino)ethane, reaction products of 2-chloro-4,6-di-(4-n-butylamino-1,2,2,6,6-pentamethylpiperidyl)-1,3,5-triazine with mono- or polyfunctional amines, where between one and all the active hydrogen atoms on the amine are replaced, such as with ethylenediamine, diethylenetriamine, triethylenetetramine, hexamethylenediamine, 1,2-bis(3-aminopropylamino)ethane, reaction products of 2-chloro-4,6-di-(4-n-butylamino-2,2,6,6-tetramethylpiperidyl)-1,3,5-triazine and 4-tert-octylamino-2,6-dichloro-1,3,5-s-triazine with mono- or polyfunctional amines, where between one and all the active hydrogen atoms on the amine are replaced, such as with ethylenediamine, diethylenetriamine, triethylenetetramine, hexamethylenediamine, 1,2-bis(3-aminopropylamino)ethane, reaction products of 2-chloro-4,6-di-(4-n-butylamino-1,2,2,6,6-pentamethylpiperidyl)-1,3,5-triazine and 4-tert-octylamino-2,6-dichloro-1,3,5-s-triazine with mono- or polyfunctional amines, where between one and all the active hydrogen atoms on the amine are replaced, such as with ethylenediamine, diethylenetriamine, triethylenetetramine, hexamethylenediamine, 1,2-bis-(3-aminopropyl-amino)ethane, reaction products of 2-chloro-4,6-di-(4-n-butylamino-2,2,6,6-tetramethylpiperidyl)-1,3,5-triazine and 4-(4-n-butylamino-2,2,6,6-tetramethylpiperidyl)-2,6-dichloro-1,3,5-s-triazine with mono- or polyfunctional amines, where between one and all the active hydrogen atoms on the amine are replaced, such as with ethylenediamine, diethylenetriamine, triethylenetetramine, hexamethylenediamine, 1,2-bis-(3-aminopropylamino)ethane, reaction products of 2-chloro-4,6-di-(4-n-butylamino-1,2,2,6,6-pentamethylpiperidyl)-1,3,5-triazine and 4-(4-n-butylamino-2,2,6,6-tetramethylpiperidyl)-2,6-dichloro-1,3,5-s-triazine with mono- or polyfunctional amines, where between one and all the active hydrogen atoms on the amine are replaced, such as with ethylenediamine, diethylenetriamine, triethylenetetramine, hexamethylenediamine, 1,2-bis-(3-aminopropylamino)ethane, the condensate of 1,2-bis(3-aminopropylamino)ethane and 2,4,6-trichloro-1,3,5-triazine and also 4-butylamino-2,2,6,6-tetramethylpiperidine, N-(2,2,6,6-tetramethyl-4-piperidyl)-n-dodecylsuccinimide, N-(1,2,2,6,6-pentamethyl-4-piperidyl)-n-dodecylsuccinimide, 8-acetyl-3-dodecyl-7,7,9,9-tetramethyl-1,3,8-triazaspiro[4.5]decane-2,4-dione, oligomerized 2,2,4,4-tetramethyl-20-(oxiranylmethyl)-7-oxa-3,20-diaza-dispiro[5.1.11.2]heneicosan-21-one, oligomerized 1,2,2,4,4-pentamethyl-20-(oxiranylmethyl)-7-oxa-3,20-diazadispiro[5.1.11.2]heneicosan-21-one,

Case 2000CH117

17

oligomerized 1-acetyl-2,2,4,4-tetramethyl-20-(oxiranylmethyl)-7-oxa-3,20-diaza-dispiro[5.1.11.2]heneicosan-21-one, 3-dodecyl-1-(2,2,6,6-tetramethyl-4-piperidyl)pyrrolidine-2,5-dione, 3-dodecyl-1-(1,2,2,6,6-pentamethyl-4-piperidyl)pyrrolidine-2,5-dione, 2,2,4,4-tetramethyl-7-oxa-3,20-diazadispiro-  
5 [5.1.11.2]heneicosan-21-one, 2,2,4,4-tetramethyl-7-oxa-21-oxo-3,20-diazadispiro-[5.1.11.2]heneicosane-3-propanoic acid dodecyl ester, 2,2,4,4-tetramethyl-7-oxa-21-oxo-3,20-diazadispiro-[5.1.11.2]heneicosane-3-propanoic acid tetradecyl ester, 2,2,3,4,4-pentamethyl-7-oxa-3,20-diazadispiro-[5.1.11.2]heneicosan-21-one, 2,2,3,4,4-pentamethyl-7-oxa-21-oxo-3,20-diaza-dispiro-[5.1.11.2]heneicosane-3-propanoic acid  
10 dodecyl ester, 2,2,3,4,4-pentamethyl-7-oxa-21-oxo-3,20-diazadispiro-[5.1.11.2]heneicosane-3-propanoic acid tetradecyl ester, 3-acetyl-2,2,4,4-tetramethyl-7-oxa-3,20-diazadispiro-[5.1.11.2]heneicosane-21-one, 3-acetyl-2,2,4,4-tetramethyl-7-oxa-21-oxo-3,20-diaza-dispiro-[5.1.11.2]heneicosane-3-propanoic acid dodecyl ester, 3-acetyl-2,2,4,4-tetramethyl-7-oxa-21-oxo-3,20-diazadispiro-[5.1.11.2]heneicosane-3-propanoic  
15 acid tetradecyl ester, 1,1',3,3',5,5'-hexahydro-2,2',4,4',6,6'-hexaaza-2,2',6,6'-bismethano-7,8-dioxo-4,4'-bis(1,2,2,6,6-pentamethyl-4-piperidyl)biphenyl, poly-N,N'-bis-(2,2,6,6-tetramethyl-4-piperidyl)-1,8-diazadecylene, adduct of 2,2,6,6-tetramethyl-4-allyloxypiperidine and polymethylhydridosiloxane (molar mass up to 4000), adduct of  
20 1,2,2,6,6-pentamethyl-4-allyloxypiperidine and polymethylhydridosiloxane (molar mass up to 4000), N,N'-diformyl-N,N'-bis(2,2,6,6-tetramethyl-4-piperidiny)-hexamethylenediamine, N,N'-diformyl-N,N'-bis(1,2,2,6,6-pentamethyl-4-piperidiny)hexamethylenediamine, 5,11-bis-(2,2,6,6-tetramethyl-4-piperidiny)-3,5,7,9,11,13-hexaazatetra-cyclo[7.4.0.0<sup>2,7</sup>.1<sup>3,13</sup>]tetradecane-8,14-dione, 5,11-bis(1,2,2,6,6-pentamethyl-4-piperidiny)-3,5,7,9,11,13-hexaazatetra-  
25 cyclo[7.4.0.0<sup>2,7</sup>.1<sup>3,13</sup>]tetradecane-8,14-dione, [(4-methoxyphenyl)methylene]propanedioic acid bis(2,2,6,6-tetramethyl-4-piperidiny) ester, [(4-methoxyphenyl)methylene]propanedioic acid bis-(1,2,2,6,6-pentamethyl-4-piperidiny) ester, 2,4,6-tris(N-cyclohexyl-N-[2-(3,3,4,5,5-pentamethylpiperazinon-1-yl)ethyl]amino)-1,3,5-triazine, copolymer of styrene with methylstyrene and maleic anhydride reacted with 4-  
30 amino-2,2,6,6-tetramethylpiperidine and octadecylamine, copolymer of styrene with  $\alpha$ -methylstyrene and maleic anhydride reacted with 4-amino-1,2,2,6,6-pentamethylpiperidine and octadecylamine, polycarbonate with 2,2'-[(2,2,6,6-tetramethyl-4-piperidiny)imino]bis[ethanol] as diol component, polycarbonate comprising 2,2'-(1,2,2,6,6-pentamethyl-4-piperidiny)imino]bis[ethanol] as diol  
35 component, copolymer of maleic anhydride and an  $\alpha$ -olefin up to C<sub>30</sub> reacted with 4-amino-2,2,6,6-tetramethylpiperidine, copolymer of maleic anhydride and an  $\alpha$ -olefin up to C<sub>30</sub> reacted with 1-acetyl-4-amino-2,2,6,6-tetramethylpiperidine, copolymer of maleic

Case 2000CH117

18

anhydride and an  $\alpha$ -olefin up to C<sub>30</sub> reacted with 4-amino-1,2,2,6,6-pentamethylpiperidine, and also the N-alkyl- and N-aryl-oxy derivatives of the abovementioned compounds with free NH groups on the piperidine, especially  $\alpha$ -methylbenzyloxy and alkyloxy from C<sub>1</sub> to C<sub>18</sub>.

5  
2.7 Oxalamides, for example 4,4'-dioctyloxyoxanilide, 2,2'-diethoxyanilide, 2,2'-dioctyloxy-5,5'-di-tert-butyloxyanilide, 2,2'-didodecyloxy-5,5'-di-tert-butyloxyanilide, 2-ethoxy-2'-ethyloxyanilide, N,N'-bis(3-dimethylaminopropyl)-oxalamide, 2-ethoxy-5-tert-butyl-2'-ethyloxyanilide and its mixture with 2-ethoxy-2'-ethyl-5,4'-di-tert-butyloxyanilide and mixtures of o- and p-methoxy-disubstituted and of o- and p-ethoxy-disubstituted oxanilides.

10  
2.8 2-(2-Hydroxyphenyl)-1,3,5-triazines, for example 2,4,6-tris(2-hydroxy-4-octyloxyphenyl)-1,3,5-triazine, 2-(2-hydroxy-4-octyloxyphenyl)-4,6-bis(2,4-dimethylphenyl)-1,3,5-triazine, 2-(2,4-dihydroxyphenyl)-4,6-bis(2,4-dimethylphenyl)-1,3,5-triazine, 2-(2,4-dihydroxyphenyl)-4,6-bis(2,4-dimethylphenyl)-1,3,5-triazine, 2,4-bis(2-hydroxy-4-propyloxyphenyl)-6-(2,4-dimethylphenyl)-1,3,5-triazine, 2-(2-hydroxy-4-octyloxyphenyl)-4,6-bis(4-methylphenyl)-1,3,5-triazine, 2-(2-hydroxy-4-dodecyloxyphenyl)-4,6-bis(2,4-dimethylphenyl)-1,3,5-triazine, 2-[2-hydroxy-4-(2-hydroxy-3-butyloxypropyloxy)phenyl]-4,6-bis(2,4-dimethylphenyl)-1,3,5-triazine, 2-[2-hydroxy-4-(2-hydroxy-3-octyloxypropyloxy)phenyl]-4,6-bis(2,4-dimethylphenyl)-1,3,5-triazine, 2-(2-hydroxy-4-tridecyloxyphenyl)-4,6-bis(2,4-dimethylphenyl)-1,3,5-triazine, 2-[4-dodecyloxy/tridecyloxy-2-hydroxypropoxy]-2-hydroxyphenyl]-4,6-bis(2,4-dimethylphenyl)-1,3,5-triazine, 2-[2-hydroxy-4-(2-hydroxy-3-dodecyloxypropoxy)phenyl]-4,6-bis(2,4-dimethylphenyl)-1,3,5-triazine, 2-(2-hydroxy-4-hexyloxy)phenyl-4,6-diphenyl-1,3,5-triazine, 2-(2-hydroxy-4-methoxyphenyl)-4,6-diphenyl-1,3,5-triazine, 2,4,6-tris[2-hydroxy-4-(3-butoxy-2-hydroxypropoxy)phenyl]-1,3,5-triazine, 2-(2-hydroxyphenyl)-4-(4-methoxyphenyl)-6-phenyl-1,3,5-triazine.

30 3. Metal deactivators, for example, N,N'-diphenyloxalamide, N-salicylal-N'-salicyloylhydrazine, N,N'-bis(salicyloyl)hydrazine, N,N'-bis(3,5-di-tert-butyl-4-hydroxyphenylpropionyl)hydrazine, 3-salicyloylamino-1,2,4-triazole, bis(benzylidene)oxalyl dihydrazide, oxanilide, isophthaloyl dihydrazide, sebacoyl bisphenylhydrazide, N,N'-diacetyl adipoyl dihydrazide, N,N'-bis(salicyloyl)oxalyl dihydrazide, N,N'-bis(salicyloyl)thiopropionyl dihydrazide.



Case 2000CH117

19

4. Phosphites and phosphonites, for example triphenyl phosphite, diphenyl alkyl phosphites, phenyl dialkyl phosphites, tris(nonylphenyl) phosphite, trilauryl phosphite, trioctadecyl phosphite, distearyl pentaerythritol diphosphite, tris(2,4-di-tert-butylphenyl) phosphite, diisodecyl pentaerythritol diphosphite, bis(2,4-di-tert-butylphenyl) pentaerythritol diphosphite, bis(2,6-di-tert-butyl-4-methylphenyl) pentaerythritol diphosphite, bisisodecyloxy pentaerythritol diphosphite, bis(2,4-di-tert-butyl-6-methylphenyl) pentaerythritol diphosphite, bis(2,4,6-tri-tert-butylphenyl) pentaerythritol diphosphite, tristearyl sorbitol triphosphite, tetrakis(2,4-di-tert-butylphenyl) 4,4'-biphenylenediphosphonite, 6-isooctyloxy-2,4,8,10-tetra-tert-butyl-12H-dibenzo[d,g]-1,3,2-dioxaphosphocin, 6-fluoro-2,4,8,10-tetra-tert-butyl-12-methyl-dibenzo[d,g]-1,3,2-dioxaphosphocin, bis(2,4-di-tert-butyl-6-methylphenyl) methyl phosphite, bis(2,4-di-tert-butyl-6-methylphenyl) ethyl phosphite, tris(2-tert-butyl-4-thio(2'-methyl-4'-hydroxy-5'-tert-butyl)phenyl-5-methyl) phenyl phosphite, 2,2',2''-nitrido[triethyl tris(3,3',5,5'-tetra-tert-butyl-1,1'-biphenyl-2,2'-diyl) phosphite], bis[2-methyl-4,6-bis(1,1-dimethylethyl)phenol]phosphorous acid ethyl ester.
5. Hydroxylamines, examples being N,N-dibenzylhydroxylamine, N,N-diethylhydroxylamine, N,N-diethylhydroxylamine, N,N-dilaurylhydroxylamine, N,N-ditetradecylhydroxylamine, N,N-dihexadecylhydroxylamine, N,N-dioctadecylhydroxylamine, N-hexadecyl-N-octadecylhydroxylamine, N-heptadecyl-N-octadecylhydroxylamine, N,N-dialkylhydroxylamines prepared from hydrogenated tallow fatty amine.
6. Nitrones, examples being N-benzyl alpha-phenyl nitrone, N-ethyl alpha-methyl nitrone, N-octyl alpha-heptyl nitrone, N-lauryl alpha-undecyl nitrone, N-tetradecyl alpha-tridecyl nitrone, N-hexadecyl alpha-pentadecyl nitrone, N-octadecyl alpha-heptadecyl nitrone, N-hexadecyl alpha-heptadecyl nitrone, N-octadecyl alpha-pentadecyl nitrone, N-heptadecyl alpha-heptadecyl nitrone, N-octadecyl alpha-hexadecyl nitrone, nitrones derived from N,N-dialkylhydroxylamines prepared from hydrogenated tallow fatty amines.
7. Zeolites and hydrotalcites, such as <sup>®</sup>DHT 4A. Hydrotalcites of this kind can be described by the formula



where

Case 2000CH117

20

(M<sup>2+</sup>) is Mg, Ca, Sr, Ba, Zn, Pb, Sn, Ni

(M<sup>3+</sup>) is Al, B, Bi

A<sup>n</sup> is an anion of valence n


n is an integer from 1 - 4

x is a value between 0 and 0.5





y is a value between 0 and 2

A is OH<sup>-</sup>, Cl<sup>-</sup>, Br<sup>-</sup>, I<sup>-</sup>, ClO<sub>4</sub><sup>-</sup>, CH<sub>3</sub>COO<sup>-</sup>, C<sub>6</sub>H<sub>5</sub>COO<sup>-</sup>, CO<sub>3</sub><sup>2-</sup>, SO<sub>4</sub><sup>2-</sup>, (OOC-COO)<sup>2-</sup>,  
(CHOHCOO)<sub>2</sub><sup>2-</sup>, (CHOH)<sub>4</sub>CH<sub>2</sub>OHCOO<sup>-</sup>, C<sub>2</sub>H<sub>4</sub>(COO)<sub>2</sub><sup>2-</sup>, (CH<sub>2</sub>COO)<sub>2</sub><sup>2-</sup>, CH<sub>3</sub>CHOHCOO<sup>-</sup>,  
SiO<sub>3</sub><sup>2-</sup>, SiO<sub>4</sub><sup>4-</sup>, Fe(CN)<sub>6</sub><sup>3-</sup>, Fe(CN)<sub>6</sub><sup>4-</sup>, BO<sub>3</sub><sup>3-</sup>, PO<sub>3</sub><sup>3-</sup>, HPO<sub>4</sub><sup>2-</sup>.

Preference is given to employing hydrotalcites in which (M<sup>2+</sup>) is (Ca<sup>2+</sup>), (Mg<sup>2+</sup>) or a mixture of (Mg<sup>2+</sup>) and (Zn<sup>2+</sup>); (A<sup>n</sup>) is CO<sub>3</sub><sup>2-</sup>, BO<sub>3</sub><sup>3-</sup>, PO<sub>3</sub><sup>3-</sup>; x has a value from 0 to 0.5 and y has a value from 0 to 2. It is also possible to employ hydrotalcites that can be described with the formula



Here, (M<sup>2+</sup>) is Mg<sup>2+</sup>, Zn<sup>2+</sup>, but more preferably Mg<sup>2+</sup>. (A<sup>n</sup>) is an anion, in particular from the group consisting of CO<sub>3</sub><sup>2-</sup>, (OOC-COO)<sup>2-</sup>, OH<sup>-</sup> and S<sup>2-</sup>, where n describes the valency of the ion. y is a positive number, more preferably between 0 and 5, especially between 0.5 and 5. x and z have positive values, which in the case of x are preferably between 2 and 6 and in the case of z should be less than 2. The hydrotalcites of the following formulae are to be regarded with particular preference:



Hydrotalcites are employed in the polymer preferably in a concentration of from 0.01 to 5 % by weight, in particular from 0.2 to 3 % by weight, based on the overall polymer formulation.

Case 2000CH117

21

8. Thiosynergists, examples being dilauryl thiodipropionate and distearyl thiodipropionate.
9. Peroxide scavengers, examples being esters of  $\beta$ -thiodipropionic acid, for example the lauryl, stearyl, myristyl or tridecyl ester, mercaptobenzimidazole, the zinc salt of 2-mercaptobenzimidazole, zinc alkyldithiocarbamates, zinc dibutyldithiocarbamate,  
5 dioctadecyl monosulfide, dioctadecyl disulfide, pentaerythritol tetrakis( $\beta$ -dodecylmercapto)propionate.
10. Polyamide stabilizers, examples being copper salts in combination with iodides and/or  
10 phosphorus compounds and salts of divalent manganese.
11. Basic costabilizers, examples being melamin, polyvinylpyrrolidone, dicyandiamide, triallyl cyanurate, urea derivatives, hydrazine derivatives, amines, polyamines, polyurethanes, alkali metal and alkaline earth metal salts of higher fatty acids, for  
15 example Ca stearate, Zn stearate, Mg behenate, Mg stearate, Na ricinoleate, K palmitate, antimony pyrocatecholate or tin pyrocatecholate, alkali metal and alkaline earth metal salts and also the zinc salt or the aluminum salt of lactic acid.
12. Nucleating agents, such as inorganic substances, examples being talc, metal oxides,  
20 such as titanium oxide or magnesium oxide, phosphates, carbonates or sulfates of, preferably, alkaline earth metals, organic compounds, such as mono- or polycarboxylic acids and also their salts, examples being 4-tert-butylbenzoic acid, adipic acid; diphenylacetic acid; sodium succinate or sodium benzoate; acetals of aromatic aldehydes and polyfunctional alcohols such as sorbitol, for example, such as 1,3-2,4-  
25 di(benzylidene)-D-sorbitol, 1,3-2,4-di(4-tolylidene)-D-sorbitol, 1,3-2,4-di(4-ethylbenzylidene)-D-sorbitol, polymeric compounds, such as ionic copolymers (ionomers), for example.
13. Fillers and reinforcing agents, examples being calcium carbonate, silicates, glass  
30 fibers, asbestos, talc, kaolin, mica, barium sulfate, metal oxides and metal hydroxides, carbon black, graphite, wood flour and other flours or fibers of other natural products, synthetic fibers.
14. Other additives, examples being plasticizers, lubricants, emulsifiers, pigments,  
35 rheological additives, catalysts, leveling assistants, optical brighteners, flameproofing agents, antistatics, blowing agents.

Case 2000CH117

22

15. Benzofuranones and indolines, as described for example in US-4325863, US-4338244, US-5175312; US-5216052; US-5252643, DE-A-4316611, DE-A-4316622, DE-A-4316876, EP-A-0589839 or EP-A-0591102, or 3-[4-(2-acetoxyethoxy)phenyl]-5,7-di-tert-butylbenzofuran-2-one, 5,7-di-tert-butyl-3-[4-(2-stearoyloxyethoxy)phenyl]-benzofuran-2-one, 3,3'-bis[5,7-di-tert-butyl-3-(4-[2-hydroxyethoxy]phenyl)-benzofuran-2-one, 5,7-di-tert-butyl-3-(4-ethoxyphenyl)-benzofuran-2-one, 3-(4-acetoxy-3,5-dimethylphenyl)-5,7-di-tert-butylbenzofuran-2-one, 3-(3,5-diethyl-4-pivaloyloxyphenyl)-5,7-di-tert-butylbenzofuran-2-one.

The following examples shall demonstrate the instant invention:

Preparation and testing of blown PE-LD-films

Blown films of PE-LD [type Lacqtene FB 3010, mfi: 0.3 (190 °C/2.16 kg); producer: Elf Atochem; base stabilization 0.005 % compound (J)]. The individual additional stabilizer formulations have been incorporated into the substrate using a mixer. Auxiliary additives have been dissolved in acetone for even distribution in the polymer and the solvent has been evaporated subsequently in the vacuum at 50 °C/30 min..

Afterwards, the different mixtures have been pre-extruded using a single screw extruder at 60 rpm with a die of 3 mm diameter at a melt (bulk) temperature T=180 °C.

Films of the thickness 100 µm were then prepared using a blow molding unit, type Collin with a temperature profile in the range of T= 160-180 °C at a screw speed of 35 rpm. The blow head was heated up to T=195 °C. The final film was drawn at an extracting speed of 1m/min.

Pieces of the size 35 x 65 mm were cut for WOM-exposure and/or later treatment with a solution of the insecticide Permethrine P 25/75.

For acid exposure tests pieces of the size 40 x 40 mm have been cut out.

The samples for insecticide treatment were placed on metal supports as used for weathering tests and exposed to UV-light according to CAM-7 conditions (DIN 53 387/A) in a weatherometer type Atlas WOM 65. Every two weeks the samples have been placed for 24 hours in a methanolic solution containing 0.15 wg-% of the insecticide Permethrine P25/75, washed with demineralized water and dried at room temperature prior to re-continued WOM-exposure.

Samples used for alternating UV-exposure and acid treatment fixed in frames were exposed to UV-light according to CAM-7 conditions as described above. Every week the samples

Case 2000CH117

23


have been dipped during 24 hours in an aqueous sulfurous acid (concentration 0.1 mol/l), washed with demineralized water and dried at room temperature.

The time to brittleness was determined by 180° mechanical bending of the film. The results are presented in tables 1-3.

The following commercially available products were used:


compound (A):

methanone, [2-hydroxy-4-(octyloxy)phenyl]phenyl



compound (B):

poly-[[6[1,1,3,3-tetramethylbutyl)-imino]-1,3,5-triazine-2,4-diyl][2-(2,2,6,6-tetramethylpiperidyl)-amino]-hexamethylene-[4-(2,2,6,6-tetramethylpiperidyl)-imino]];





compound (C):

1,3,5-Triazine-2,4,6-triamine-N,N''-[1,2-ethanediylbis[[[4,6-bis[butyl-(1,2,2,6,6-pentamethyl-4-piperidiny)]-amino]-1,3,5-triazine-2-yl]imino]-3,1-propanediyl]]-bis-[N',N''-dibutyl-N',N''-bis(1,2,2,6,6-tetramethyl-4-piperidiny)]-

Case 2000CH117


24



compound (D):



poly-(N-hydroxyethyl-2,2,6,6-tetramethyl-4-hydroxy-piperidyl-succinate)

5



compound (E):

10 1,3,5-Triazine-2,4,6-triamine-N,N'''-[1,2-ethanediylbis[[[4,6-bis[butyl-(1,2,2,6,6-pentamethyl-4-piperidiny)]-amino]-1,3,5-triazine-2-yl]imino]-3,1-propanediyl]]-bis-[N',N''-dibutyl-N',N''-bis(1,2,2,6,6-tetramethyl-4-piperidiny)]-





Case 2000CH117

25


compound (F):

mixture of 7-Oxa-3,20-diaza-dispiro[5.1.11.2]-heneicosane-20-propanoic-acid, 2,2,4,4-tetramethyl-21-oxo-dodecylester and 7-Oxa-3,20-diaza-dispiro[5.1.11.2]-heneicosane-20-propanoic-acid, 2,2,4,4-tetramethyl-21-oxo-tetradecylester




compound G:

2,2,4,4-Tetramethyl-7-oxa-3,20-diazadispiro[5.1.11.2]-heneicosan-21-one;



compound (H):

1,6-hexamethylenediamine-N,N'-[bis-(2,2,6,6-tetramethyl-piperidiny)] -N,N'-bisdialdehyd




Case 2000CH117

26

compound (J):


tetrakismethylene(3,5-di-tert.butyl-4-hydroxyphenyl)-hydrocinnamate



5

compound (K):


octadecyl-3-(3,5-di-tert.butyl-4-hydroxyphenyl)-propionate



10

compound (L):

tetrakis(2,4-di-tert.-butylphenyl)-4,4'-biphenyldiphosphite



15



Case 2000CH117

27

**Table 1:** Stabilization of PE-LD blown films under accelerated weathering conditions (CAM – 7, DIN 53 387/A); base stabilization: 0.03 wg-% compound (K)

Stabilizer-formulation	time to brittleness / weeks
0.3% compound (A)	5
0.3% compound (A)+ 0.2% compound (B)	20
0.3% compound (A)+ 0.2% compound (C)	24
0.3% compound (A) + 0.2% component a)	34

**Table 2:** Stabilization of PE-LD blown films under alternating accelerated weathering conditions (CAM –7, DIN 53 387/A) and insecticide treatment (Permethrine P25/75) ; base stabilization: 0.03 wg-% compound (K)

Stabilizer-formulation	time to brittleness / weeks
0.3% compound (A)	6
0.3% compound (A)+ 0.2% compound (B)	13
0.3% compound (A)+ 0.2% compound (C)	12
0.3% compound (A)+ 0.2% component a)	> 20

**Table 3:** Stabilization of PE-LD blown films under alternating accelerated weathering conditions (CAM –7, DIN 53 387/A) and acid treatment (0.1 mol/l sulfurous acid) ; base stabilization: 0.03 wg-% compound (K)

Stabilizer-formulation	time to brittleness / weeks
0.3% compound (A)	4
0.3% compound (A)+ 0.2% compound (B)	17
0.3% compound (A)+ 0.2% compound (C)	24
0.3% compound (A)+ 0.2% component a)	31

Case 2000CH117

28

# **Stabilization of blown PE-HD-films against light exposure**

Blown films (thickness 50  $\mu\text{m}$ ) by mixing powdered PE-HD (type TVK FB 472; producer TVK, Hungary; mfi (unstabilized) 0.8 g/10 min. (190°C/2.16 kg); initial cristallinity 58%) with the required additives in a laboratory mixer, type Kenwood. Pre-extrusion with the individual formulations took place twice at 200°C using a single screw extruder type Collin with a screw composition 1:3, die diameter 3mm, screw speed 80 rpm before film blowing was carried out at 220°C using an extruder, type Collin with a film blowing unit. The received films have been transferred within diapositive-frames consisting of a plastic material in a wheather-o-meter type 65 WRC (producer Atlas) equipped with a Xenon lamp (6.5 kWatt) allowing an irradiation energy of 0.33 W/m<sup>2</sup> and with inner and outer filters based on borosilicate S. For artificial exposure the program CAM-7 (according ISO 11341) was chosen frequently applying 2 different wheathering phases: in a first phase (duration 102 minutes) under "dry" conditions (50% rel. humidity) a black panel temperature of 63 °C was adjusted whereas in a second period (duration 18 minutes) a black panel temperature of 50°C was set keeping the samples under 90% rel. humidity. The end of the experiment was reached for each individual sample as soon as brittleness was observed. The results for the series of non pre-treated samples are given in table 4. Prior to exposure in the weather-o-meter another series of samples have been dipped for 24 hours at room temperature in a 0.1molar aqueous sulfurous acid solution before the artificial weathering program as described above took place. The data of this series are presented in table 5.

**Table 4:** Stability of blown PE-HD films (thickness 50  $\mu\text{m}$ ) after accelerated weathering according to ISO 11341 (CAM-7); basic formulation (% = wg-%): 0.06% compound (J), 0.09% compound (L), 0.03% dilaurylthiodipropionate (DLTDP), 0.20% Ca-stearate

0.1% hindered amine stabilizer (HAS)	time to brittleness / weeks
none	6
compound (B)	45
compound (E)	48
compound (D)	13
Polymer-bound stabilizer PB 49	54
compound (F)	13
compound (III)	18
compound (G)	20
compound (H)	10
component a)	83
component a)/ compound (III) (1:1)	83

Case 2000CH117

29

Table 5: Stability of blown PE-HD films (thickness 50µm) after initial pretreatment during 24 hours in 0.1M sulfurous acid followed by accelerated weathering according to ISO 11341 (CAM-7); basic formulation (% = wg-%): 0.06% compound (J), 0.09% compound (L), 0.03% dilaurylthiodipropionate (DLTDP), 0.20% Ca-stearate

0.1% hindered amine stabilizer (HAS)	time to brittleness / weeks
none	6
compound (B)	14
compound (E)	14
compound (D)	13
Polymer-bound stabilizer PB 49	14
compound (F)	12
compound (III)	13
compound (G)	13
compound (H)	10
component a)	89
component a)/ compound (III) (1:1)	83

The experimental data clearly show the surprisingly superior stabilizing properties of the instant composition compared to the prior art.

Case 2000CH117

30


## Claims

1. Synergistic stabilizer composition for thermoplastic polymers comprising

a) a random copolymer of ethylene (I) and hindered amine moieties containing acrylates/  
methacrylates (II)



(I)



(II)

and

b) at least one light stabilizing compound based on sterically hindered amines (HAS) and/or  
UV absorbers,

wherein

R<sub>1</sub> and R<sub>2</sub> are each an independent hydrogen atom or a methyl group,

R<sub>3</sub> is a hydrogen atom, a C<sub>1</sub>-C<sub>4</sub>-alkyl or a C<sub>1</sub>-C<sub>4</sub>-alkoxy group,

the ratio of component (II) to the sum of components (I) and (II) is less than 2 mol-%, and  
the weight ratio of component a) to component b) is from 100:1 to 3:1.

2. A stabilizer composition as claimed in claim 1, wherein R<sub>1</sub>, R<sub>2</sub> and R<sub>3</sub> are hydrogen.

3. A stabilizer composition as claimed in claim 1 or 2, wherein the light stabilizing compound  
b) is propanedioic acid, [(4-methoxyphenyl)-methylene]-bis(1,2,2,6,6-pentamethyl-4-  
piperidinyl)ester (III).

4. A stabilizer composition as claimed in any of claims 1 to 3, wherein the weight ratio of  
component a) to component b) is from 20:1 to 5:1.

Case 2000CH117

81

5. A method of use of a stabilizer composition as claimed in any of claims 1 to 4 wherein an amount of 0.5 to 20 % by weight, based on the polymer, is incorporated into a thermoplastic polymer.

6. A method of use of a stabilizer composition as claimed in any of claims 1 to 4 wherein an amount of 1.0 to 10 % by weight, based on the polymer, is incorporated into a thermoplastic polymer.

7. A method of use as claimed in claim 5 or 6 wherein the thermoplastic polymer is a polyolefin.

8. A method of use as claimed in any of claims 5 to 7 wherein the thermoplastic polymer is an agricultural film made of polyolefins and which has been pretreated or is in contact with pesticides.

9. A process of stabilizing thermoplastic polymers comprising incorporating therein before or during processing a stabilizing quantity of the stabilizer composition according to claims 1 to 4.

10. A process according to claim 9 wherein the stabilizer composition is added in an amount of 0.5 to 20 % by weight, based on the thermoplastic polymer.

11. A process of stabilizing agricultural films made of polyolefins and pretreated or in contact with pesticides by incorporating a stabilizer composition as claimed in any of claims 1 to 4.

Case 2000CH117


# Abstract

The instant invention relates to synergistic stabilizer compositions for thermoplastic polymers comprising

a) a random copolymer of ethylene (I) and hindered amine moieties containing acrylates/methacrylates (II)



(I)



(II)

and

b) at least one light stabilizing compound based on sterically hindered amines (HAS) and/or UV absorbers.

Polyethylene based articles which are exposed to permanent extraction and aggressive and/or hazardous chemicals show significantly improved lifetime as measured by carbonyl formation or time to brittleness.



